

GIORDANO POULTRY PLAST

Giordano Poultry Plast® was founded in 1962 and continues to be run by the Giordano family.

Since its origin, it has devoted itself to the poultry sector, specialising in it: from hatching to breeding, all the way down to slaughtering and transport, and it has made its production revolve around a material endowed with countless qualities: plastic.

Equipment supply to animal farming represents the deepest root of the group activity, and the sector in which its longest history has given birth to a wide-ranging and well-structured production and commercial organization worldwide.

The specific expertise in the use of materials has led to the development, especially in recent years, of a significant network of relationships with other leading companies in the sector, operating not only in the breeding field but also in such other fields as slaughtering and transport, for which the Giordano group designs and creates high-tech plastic products and components. A supplementary recognition of skill and reliability.

Thanks to a direct knowledge of the usage profile and of the different technical and practical needs coming from the various sectors within the global poultry industry, the Company attends directly to all production phases. From creation to design, in our R&D department, and final manufacture, the company is always looking for innovative high-performing products and solutions, capable of combining efficiency, cost-effectiveness and durability.





Cod. 0402001

BIRD TRANSPORT

The transport of live birds is a fundamental process in poultry production.

With over half a century of experience in the industry, Giordano Poultry Plast® provides what is currently the biggest worldwide range of transportation crates for use in the professional poultry sector.

Recognized for excellent quality and precise design, these easy-to-use poultry crates are among Giordano's best known products.

Giordano Poultry Plast® products are suitable for several poultry sector species. The term "birds" refers to poultry production animals in general includes: laying hens, broilers, day-old chicks, turkeys, quail, bird game.

All the cages and boxes of Poultry Plast are strong and durable, hygienic and easy to clean. Animal welfare is guaranteed thanks to excellent ventilation, easy stacking, as well as smooth and round surfaces that minimize bruises and broken wings, preventing injuries during coop handling.

The products in the range are made with HD polyethylene and UV stabilized that reduces ageing due to solar rays. The coop line is very simple to assemble: push fitself locking. No equipment is needed, as a simple pressure ensures the complete assembly of the coop.














BOX 4 COMPARTMENTS



CHARACTERISTICS

Outside dimensions: 690x490x160 mm

Weight: 1,940 kg

Load resistance:

200 kg

Capacity: 25 chicks x 4

Shipping capacity: 1.050 pieces per 20' cnt 2.100 pieces per 40' cnt

2.500 pieces per 40' HC









BOX 2 COMPARTMENTS



Cod. 0402002

CHARACTERISTICS

Outside dimensions: 690x485x180 mm

Weight: 2,200 kg

Load resistance: 200 kg

Capacity: 50 chicks x 2

Shipping capacity: 2.200 pieces per 20' cnt 4.510 pieces per 40' cnt 5.000 pieces per 40' HC

BOX 1 COMPARTMENTS

630 mm



Cod. 0402003

CHARACTERISTICS

Outside dimensions: 630x420x155 mm

Weight: 1,650 kg

Load resistance:

200 kg

Capacity: 100 chicks























DRAWER



Height 220 mm

CHARACTERISTICS

Outside dimensions: 1.160x770x220 mm Cod. 0107520.01 WITH PIERCED BOTTOM

Weight: 8,700 kg

Cod. 0107521 WITH SEMI PIERCED BOTTOM Weight:

9,050 kg

Shipping capacity: 150 pieces per 20' cnt 300 pieces per 40' cnt 395 pieces per 40' HC

Height 255 mm

CHARACTERISTICS

Outside dimensions: 1.160x770x255 mm

Cod. 0107500.01 WITH PIERCED BOTTOM Weight:

9,500 kg

Cod. 0107502 WITH SEMI PIERCED BOTTOM Weight: 9,850 kg

Shipping capacity: 135 pieces per 20' cnt

270 pieces per 40' cnt 334 pieces per 40' HC

SEMI-PIERCED BOTTO



DRAWER TURKEY





Height 355 mm

CHARACTERISTICS

Outside dimensions: 1.160x770x355 mm Cod. 0107511.01

WITH PIERCED BOTTOM Weight:


11,300 kg

Cod. 0107512 WITH SEMI PIERCED BOTTOM

Weight: 11,650 kg

Shipping capacity: 90 pieces per 20' cnt 180 pieces per 40' cnt

210 pieces per 40' HC











UNIVERSAL COOP 110



Cod. 0107022 3 doors - Pierced Bottom

CHARACTERISTICS

Outside dimensions: 1.100x580x270 mm

Weight: 6,409 kg

Shipping capacity: 196 pieces per 20' cnt 392 pieces per 40' cnt 434 pieces per 40' HC

Manual Joseph John Manual Joseph Joseph Manual Joseph Joseph Manual Joseph Joseph Manual Joseph Manua

Cod. 0107206 COVER WITH TWO SLIDING DOORS



Cod. 0107202 COVER WITH SWINGING DOOR



Cover available also without door Cod. 0107201

AVAILABLE ALSO:

Cod. 0107023
2 DOORS - PIERCED BOTTOM
Cod. 0107025
1 DOOR - PIERCED BOTTOM
Cod. 0107024
WITHOUT DOOR
PIERCED BOTTOM



Available pierced or closed bottom

UNIVERSAL COOP 100



Cod. 0106013

CHARACTERISTICS

Outside dimensions: 970x580x270 mm

Weight: 5,109 kg

Shipping capacity: 200 pieces per 20' cnt 400 pieces per 40' cnt 470 pieces per 40' HC






AVAILABLE ALSO:

Cod. 0106017 2 DOORS - PIERCED BOTTOM

Cod. 0106020 1 DOOR - PIERCED BOTTOM





Cover available also without door Cod. 0106201



Available pierced or closed bottom

PIEDMONT COOP



CHARACTERISTICS

Outside dimensions: 970x580x270 mm

Capacity: 18/20 chickens, depending on climate and weight

Cod. 0101001 ONE DOOR

Weight: 7,800 kg

Shipping capacity: 700 pieces per 20' cnt 1.400 pieces per 40' cnt 1.600 pieces per 40' HC

Cod. 0101002

TWO DOORS

Weight: 8,158 kg

Shipping capacity: 650 pieces per 20' cnt 1.350 pieces per 40' cnt 1.550 pieces per 40' HC

AVAILABLE ALSO:

PIEDMONT OPEN WITH FRAME Cod. 0101003

Cod. 0101004



MINI PIEDMONT COOP



CHARACTERISTICS

Outside dimensions: 770x570x290 mm

Capacity:

14/16 chickens, depending on climate and weight

Cod. 0102001.01

ONE DOOR

Weight: 6,750 kg

Shipping capacity: 750 pieces per 20' cnt 1.500 pieces per 40' cnt 1.750 pieces per 40' HC

Cod. 0102002.01 TWO DOORS


Weight:

6,750 kg

Shipping capacity: 720 pieces per 20' cnt 1.450 pieces per 40' cnt 1.700 pieces per 40' HC









Cod. 0101006

THREE SIDE DOORS

1 TOP SLIDING DOOR + 2 SIDE DOORS

MOTTOB

Cod. 0101112 FRAME

TURKEY COOP

970 mm




CHARACTERISTICS

Outside dimensions: 970x580x420 mm

Capacity:

3/4 turkeys depending on climate and weight



ONE DOOR

Weight: 11,600 kg

Shipping capacity: 450 pieces per 20' cnt 900 pieces per 40' cnt 1.035 pieces per 40' HC

Cod. 0105002.01

Shipping capacity: 400 pieces per 20' cnt 800 pieces per 40' cnt 900 pieces per 40' HC

TWO DOORS

Weight:

11,500 kg

MOTTOB



MINI TURKEY COOP





CHARACTERISTICS

Outside dimensions: 770x570x420 mm

Capacity:

2/3 turkeys depending on climate and weight

Cod. 0103001.01

ONE DOOR

Weight: 9,220 kg

Shipping capacity: 500 pieces per 20' cnt 1.000 pieces per 40' cnt 1.100 pieces per 40' HC





Cod. 0103002.01

TWO DOORS

Weight: 9,250 kg

Shipping capacity: 500 pieces per 20' cnt 1.000 pieces per 40' cnt 1.100 pieces per 40' HC



QUAIL COOP



Cod. 0113001

CHARACTERISTICS

Outside dimensions: 670x450x150 mm

Weight: 2,444 kg

Shipping capacity (assembled cages): 640 pieces per 20' cnt 1.360 pieces per 40' cnt 1.530 pieces per 40' HC





PHEASANT COOP





CHARACTERISTICS

Outside dimensions: 650x360x250 mm Shipping capacity: 1.780 pieces per 20' cnt

Cod. 0113003 TWO DOORS

Weight: 2,450 kg



Cod. 0113004 THREE DOORS Weight: 2,450 kg

PIGEON COOP - TYPE A



Cod. 0111002

CHARACTERISTICS

Outside dimensions: 1.000x750x300 mm

Weight: 9,790 kg

Swinging door size: 900x210 mm

Capacity: 20/22 pigeons

Shipping capacity: 250 pieces per 20' cnt 525 pieces per 40' cnt 588 pieces per 40' HC

PIGEON COOP - TYPE C

610 mm



Cod. 0112001

CHARACTERISTICS

Outside dimensions: 610x315x270 mm

Weight: 3,125 kg

Sliding door size: 270x210 mm

Capacity:

4/6 pigeons

Shipping capacity (assembled cages): 530 pieces per 20' cnt



PIGEON COOP - TYPE B

1000 mm

1000 mm



Cod. 0111001

CHARACTERISTICS

Outside dimensions: 1.000x750x300 mm


Weight: 10,075 kg

Sliding door size: 440x210 mm

Capacity: 20/22 pigeons

Shipping capacity: 320 pieces per 20' cnt 640 pieces per 40' cnt 710 pieces per 40' HC









PIGEON COOP

780 mm



CHARACTERISTICS


Outside dimensions: 780x480x290 mm Shipping capacity: 1 pallet 120x80x170 cm = 66 cages

Cod. 0113010 ONE DOOR Weight:

3,230 kg




Cod. 0112020 THREE DOORS Weight: 3,500 kg



SPARE PARTS

TOP SLIDING DOOR 42X38 cm **TOP SLIDING DOOR 42X32 cm**

Cod. 0114027 PIEDMONT COOP TURKEY COOP



Cod. 0114028 UNIVERSAL COOP 110 MINI TURKEY COOP MINI PIEDMONT COOP



TOP SWINGING DOOR 52X42 cm

BIRDS TRANSPORT

Cod. 0114008 UNIVERSAL COOP



SIDE DOOR 16X19 cm

Cod. 0114013 QUAIL COOP




SIDE DOOR 30X19 cm

Cod. 0114020

UNIVERSAL COOP PIEDMONT COOP

SIDE DOOR 40X30 cm

Cod. 0114017 TURKEY COOP MINI TURKEY COOP MINI PIEDMONT COOP



TOP DOOR 18,5X14 cm

Cod. 0114014 PIGEON COOP

SPRING

Cod. 0114016

QUAIL SPRING

Cod. 0114026


B11189900





SPRING HOLDER

Cod. 0114015



@10.16.0000D



SWINGING DOOR 12X15 cm

Cod. 0114023 PIGEON COOP TYPE A/TYPE B



SIDE SWINGING DOOR 28X18 cm

Cod. 0114029 PHEASANT COOP



SIDE SWINGING DOOR 40X23 cm

Cod. 0114031 PIGEON COOP



CONTAINER & PALLET

There is a wide range of Giordano Poultry Plast® containers and pallets intended for a variety of product handling uses and sectors. The plastic materials lend them special versatility and resistance.

Few things that make the Giordano container line cost effective and safe: the special design enables maximum ventilation, quicker and easier cleaning, while perfect interlocking reduces the danger of load shifting. All containers are also fully nestable and stockable.

High density polyethylene construction guarantees maximum resistance to high and low temperatures. All containers are suitable for deepfreeze.

Consisting in a single mono-block and resistant to both low and high temperatures (from -20 to +40 °C), Giordano Poultry Plast pallets are the most robust, hygienic and ecological alternative to the conventional pallet, easy to clean and dry.

Equipped with anti-overturning crossbeams, the Pallets are manufactured with materials suitable for contact with foodstuffs (HDPE), impact-resistant raw materials, and are 100% recyclable and disinfectable.

Special colours are available upon request and customisation is possible with name and RFID numbering.

The metal supports make the pallets suitable for rack. The UV stabilizer reduces ageing due to solar rays.



NB: The calculation of the capacity corresponds to the number of WHOLE chickens slaughtered. The rotisserie chickens are 1 kg each, adult chickens are 2,5 kg each.

T 78



Cod. 0405001

CHARACTERISTICS

Outside dimensions: 770x435x250 mm

Weight: 2,020 kg

Capacity:

60 I

12 rotisserie chickens or 6 adult chickens

Shipping capacity: 850 pieces per 20' cnt

F 68



THE PROPERTY OF THE PARTY OF TH

IIIII IIII IIII IIII IIII IIII

Cod. 0404001

CHARACTERISTICS

Outside dimensions: 680x470x215 mm

Weight: 3,000 kg

Capacity: 50 I

> 16 rotisserie chickens or 6 adult chickens

Shipping capacity: 450 pieces per 20' cnt

P 60



Cod. 0407001

CHARACTERISTICS

Outside dimensions: 603x394x180 mm

Weight:

1,180 kg


Capacity:

10 rotisserie chickens or 4 adult chickens

Shipping capacity:

2.750 pieces per 20' cnt





According to the control of the cont

20

M 40

600 mm

600 mm

Cod. 0406001

CHARACTERISTICS

Outside dimensions: 600x415x185 mm

Weight: 1,400 kg

Capacity:

30 l

10 rotisserie chickens or 4 adult chickens

Shipping capacity: 2.000 pieces per 20' cnt

M 90



Height 200 mm

CHARACTERISTICS

Outside dimensions: 600×400 mm

Capacity: 32 I

8 rotisserie chickens or

4 adult chickens

Shipping capacity: 1.800 pieces per 20' cnt

Height 220 mm

CHARACTERISTICS

Outside dimensions: 600×400 mm

Capacity:

60 mm

35 l

8 rotisserie chickens or

4 adult chickens

Shipping capacity: 1.800 pieces per 20' cnt

Available pierced/full bottom and sides

22

PALLET LIGHT



CHARACTERISTICS

Cod. 0420010.01

Outside dimensions: 1.200x800x153 mm

Weight: 11,800 kg (+/- 0,2)

Load capacity: Dynamic: 1.000 kg In rack: 700 kg Static: 3.000 kg

Temperature range: Cleaning: up to +100°C In use: -20°C up to +60°C

Shipping capacity: 198 pieces per 20' cnt 400 pieces per 40' cnt 460 pieces per 40' HC

Available in virgin material or 100% black recycled material





PALLET CARGO

Cod. 0420103.00 WITHOUT FEET

CHARACTERISTICS

Outside dimensions: 1.200x800x153 mm


Weight: 15,050 kg (+/- 0,2)

Load capacity: Dynamic: 1.100 kg In rack: 750 kg Static: 4.500 kg

Temperature range: Cleaning: up to +100°C In use: -20°C up to +60°C

Shipping capacity: 198 pieces per 20' cnt 400 pieces per 40' cnt 460 pieces per 40' HC

Available in virgin material or 100% black recycled material









Available also with two or three iron bars

Cod. 0420002.00

CHARACTERISTICS

Outside dimensions: 1.200x800x160 mm

Weight: 16,500 kg (+/- 0,2)

Load capacity: Dynamic: 1.100 kg In rack: 750 kg Static: 4.500 kg

Temperature range: Cleaning: up to +100°C In use: -20°C up to +60°C

Shipping capacity: 188 pieces per 20' cnt 375 pieces per 40' cnt 430 pieces per 40' HC

Only virgin material

GIORDANO POULTRY PLAST S.p.A. reserves the right to modify product's features and data contained in this catalogue, and accepts no liability for errors and/or omissions in the published information.







Member of GIORDANO



GIORDANO S.p.A.

Via Bernezzo, 47 12023 CARAGLIO Cuneo - Italy tel: +39 0171 61.97.15 email: info@poultryplast.com



