

### **GIORDANO POULTRY PLAST**

Giordano Poultry Plast<sup>®</sup> was founded in 1962 and continues to be run by the Giordano family.

Since its origin, it has devoted itself to the poultry sector, specialising in it: from hatching to breeding, all the way down to slaughtering and transport, and it has made its production revolve around a material endowed with countless qualities: plastic.

Equipment supply to animal farming represents the deepest root of the group activity, and the sector in which its longest history has given birth to a wide-ranging and well-structured production and commercial organization worldwide.

The specific expertise in the use of materials has led to the development, especially in recent years, of a significant network of relationships with other leading companies in the sector, operating not only in the breeding field but also in such other fields as slaughtering and transport, for which the Giordano group designs and creates high-tech plastic products and components. A supplementary recognition of skill and reliability.

Thanks to a direct knowledge of the usage profile and of the different technical and practical needs coming from the various sectors within the global poultry industry, the Company attends directly to all production phases. From creation to design, in our R&D department, and final manufacture, the company is always looking for innovative high-performing products and solutions, capable of combining efficiency, cost-effectiveness and durability.





### **TWIST & MAXI TWIST**

### **AUTOMATIC LINE**

Thanks to its current range of lines, made with recognized and peculiar raw materials (100% made in Italy) and proved reliable functioning, Giordano Poultry Plast® is effectively positioned on the market as supplier of automatic lines and their complementary components.

The possibility of offering turnkey feeding and drinking lines is worthwhile for poultry as well as for turkey and duck farms, confirming the severe decrease in human intervention during the breeding.

The efficient automatic feeders and drinking lines are designed for all species of poultry interest and for every breeding need. They are also easy to assemble and maintain, and allow a significant reduction in time and management costs.





Cod. 0308103 Cod. 0308104 CAP FLAT CAP

Twist is the only truly fully automatic feeder worldwide. It is the first poultry feeder consisting of only 3 parts and the only feeder allowing a one-step washing process, without any disassembling or handling. Twist is made to follow the entire cycle growth of the broiler, satisfying ideal bird feeding needs by simply modifying the height of the line, to provide the best results up to the end of the lifecycle. The special inclination towards the inner centre of the plate and the edge design allow a substantial reduction of food leakage during the feeding.













# Cod. 0308001

### **CHARACTERISTICS**

- Diameter: 350 mm Circumference: 1.110 mm Capacity: 60/70 adult chicken 2,5 kg Depth: 40 mm Weight: 0,855 kg Standard packing: 20 cones per carton 540x540x570 mm 20 pans per carton 710x360x1.010 mm Shipping capacity: 1.200 pieces per 20' cnt 2.400 pieces per 40' cnt
- 2.760 pieces per 40' HC

### Cod. 0308004 MAXI TWIST

### **CHARACTERISTICS**

- Diameter: 375 mm Circumference: 1.180 mm Capacity: 60/70 adult chicken 2,5 kg Depth: 55 mm
- Weight: 0,885 kg
- Standard packing: 20 cones per carton 400x1.000x800 mm 20 pans per carton 400x1.000x800 mm
- Shipping capacity: 1.040 pieces per 20' cnt 2.080 pieces per 40' cnt 2.360 pieces per 40' HC




Polyfeeder is the automatic feeder of Giordano Poultry Plast for turkey and web-footed bird breeding. This highly resistant plastic feeder is suitable for all ages of birds realized with decomposable and modular parts, allowing different applications. Its main advantage is that it can be used during the breeding and fattening phases in all situations where it is possible to carefully adjust the feed flux.






5



The Drinker T-Line is specifically designed for ducks and turkeys. It provides perfect functionality, optimum performances and is composed by few components. Permanent supply of fresh water permits the animals to live in a healthy environment and to decrease the mortality rate.

The pendulum, which is connected to the nipple and oscillates thanks to the pecking of ducks, minimizes water wasting and permits a correct calibration of water.







### DRINKER T-LINE

### **SUPER DROP**



CHARACTERISTICS

Capacity: 10/12 chickens

The drinking line has a perfect functionality and optimum performance. No waste, no leakage, always dry litter. Permanent supply of fresh water results in healthy environment with less mortality.

Different nipples available

depending on water flow and

the species of farmed birds.

Cod. 0250013.00 BROILER water flow cc/min 30



Cod. 0270117.00 BROILER/BREEDER water flow cc/min 24



Cod. 0250013.02 DUCK WEANING water flow cc/min 80





### **FEEDERS & DRINKER**

All poultry farms, wherever they might be and whatever their size, need an adequate administration of food and drinking water.

The Giordano Poultry Plast<sup>®</sup> drinkers and feeders are designed to ensure a positive economic result in compliance with regulatory requirements and growing expectations of animal welfare, environmental sustainability and monitoring of health and hygiene conditions.

Among the most dynamic areas of its business, Giordano Poultry Plast<sup>®</sup> has regularly expanded its range of drinking and feeder troughs over time and the species for which the same should be designed and implemented.

All drinkers and feeders in the company's range are easy to assemble and maintain. The whole product range is made to follow the entire cycle growth of the animal, from the chick up to the adult stage, through products designed to satisfy all poultry species.

The materials used to produce our products are adequately tested, and thanks to the use of various additives we protect them from UV rays, colour them, and customize them according to customer requirements.



### MANOLA B



Cod. 0301001

### **CHARACTERISTICS**

Diameter: 450 mm Circumference: 1.300 mm Depth: 75 mm Feeder capacity: 20 kg 70/80 adult chickens Weight: 1,741 kg Standard packing: 20 cones per carton 680x360x700 mm 20 pans per carton 450x450x550 mm

Shipping capacity: 2.100 pieces per 20' cnt 4.200 pieces per 40' cnt 4.800 pieces per 40' HC

Cod. 0301002 WITHOUT COVER

Cod. 0301117 GARDEN RAIN COVER

Diameter: 610 mm





### SPARE PARTS MANOLA B/T

Cod. 0301103 LID

Cod. 0301102 CONE





Cod. 0306103 SUSPENSION HOOK Cod. 0301110 SCREW



**ONLY MANOLA B** 

Cod. 0301101 PAN

ANTI-WASTE GRID







10





Cod. 0301003.01

### **CHARACTERISTICS**

Diameter: 560 mm Circumference: 1.726 mm Depth: 112,5 mm

Feeder capacity: 20 kg 50/60 adult turkeys

Weight: 2,624 kg

Standard packing: 20 cones per carton 680x360x700 mm 20 pans per carton 550x550x930 mm

Shipping capacity: 1.200 pieces per 20' cnt 2.400 pieces per 40' cnt 2.600 pieces per 40' HC

Cod. 0301004.01 WITHOUT COVER

Cod. 0301106 BOTTOM STABILIZING BAR



Cod. 0301112 METAL WASHER



**ONLY MANOLA T** 

Cod. 0301108 PAN








Cod. 0301105

TOP STABILIZING

BAR











### Cod. 0210001

### CHARACTERISTICS

Outside dimensions: bell diameter 280 mm bell seat diameter 345 mm Weight

0,663 kg

Drinking capacity: 80/100 chicks

Standard packing: 20 pieces per carton (630x360x880 mm) Shipping capacity:

3.000 pieces per 20' cnt 6.000 pieces per 40' cnt



### Cod. 0209003

### CHARACTERISTICS

Outside dimensions: bell diameter 370 mm height 280 mm Weight: 1,347 kg

Drinking capacity: 70/80 adult chickens

Standard packing: 20 pieces per carton (820x640x740 mm)

Shipping capacity: 1.500 pieces per 20' cnt 3.000 pieces per 40' cnt

### JUMBO B



### Cod. 0201011

### **CHARACTERISTICS**

Outside dimensions: diameter 400 mm height 630 mm

Weight: 1,921 kg Drinking capacity: 60/80 adult broiler/breeder

Standard packing: 20 pieces per carton (660x420x710 mm)

Shipping capacity: 2.860 pieces (143 cartons) per 20' cnt 5.740 pieces (287 cartons) per 40' cnt 5.740 pieces per 40' HC

### Cod. 0208006.01

V

### CHARACTERISTICS

Outside dimensions: diameter 380 mm height 625 mm Weight:

1,862 kg Drinking capacity: 60/80 adult broiler

Standard packing: 20 pieces per carton [410x410x700 mm]

Shipping capacity: 4.200 pieces (210 cartons) per 20' cnt 8.400 pieces (420 cartons) per 40' cnt 8.400 pieces (420 cartons) per 40' HC

Working only suspended

### JUMBO T



### JUMBO 98



# G 86







### Cod. 0201009

### CHARACTERISTICS

Outside dimensions: diameter 480 mm height 650 mm Weight: 2,133 kg Drinking capacity: 50/60 adult fattener/breeder Standard packing: 20 pieces per carton (700x470x710 mm) Shipping capacity: 2.080 pieces (104 cartons) per 20' cnt 4.160 pieces (208 cartons) per 40' cnt 4.160 pieces per 40' HC



### Cod. 0211003

### **CHARACTERISTICS**

Outside dimensions: 305 mm depth 100 mm through 100×70 mm total height 500 mm Weight: 1,201 kg Drinking capacity: 50/60 adult fattener

Standard packing: 20 pieces per carton [330x620x920 mm]

Shipping capacity: 3.000 pieces (150 cartons) per 20' cnt 6.000 pieces (300 cartons) per 40' cnt 6.000 pieces (300 cartons) per 40' HC

Working only suspended

### **BREEDER SLAT**


### SLAT


Made with high quality plastic, the slats are resistant to corrosion, have a long life, are easily cleaned and disinfected and, above all, are safe, thus ensuring high-breeding performance levels. They are made with polypropylene, a copolymer UV stabilized that reduces ageing due to solar rays, resistant to high temperature.

The advantage of a slat is that the litter quality is consistently better, because the birds sleep on the slats. This means that a lot of manure is produced on the slats and collected under them and animal welfare is guaranteed.

The special design allows maximum ventilation and this leads to an increase in the number of animals per square meter.















### Cod. 0450005/120x60

### CHARACTERISTICS

Outside dimensions: 1.200x600 mm Weight: 3,400 kg Loading resistance: 200 kg/piece Standard colour: white Shipping capacity: 1.200 pieces per 20' cnt 2.500 pieces per 40' cnt 3.000 pieces per 40' HC

Metal support


# 22 mm

### Cod. 0450006/100x60


### CHARACTERISTICS

Outside dimensions: 1.000x600 mm Weight: 2,800 kg Loading resistance: 200 kg/piece Standard colours: white Shipping capacity: 1.500 pieces per 20' cnt 3.100 pieces per 40' rtt 3.350 pieces per 40' HC

Metal support





# **GRINTA-T/INOVA SLAT**



**CHARACTERISTICS** Outside dimensions: 1.000x1.000 mm Loading resistance: 400 kg/m<sup>2</sup> Shipping capacity: 500 slats without feet 20' cnt 400 slats with feet 20/30 20' cnt 350 slat with feet 50 20' cnt

Self-supporting






# 500 mm

### INTERLOCKING






Cod. 0450007.03 GRINTA-T FOR BROILER Weight: 7 kg



Cod. 0450004.03 INOVA FOR DUCK Weight: 6,850 kg







### **GRINTA-T/INOVA SLAT**




Cod. 0450011.01 1.000x**200 mm** BROILER

Cod. 0450010.01 1.000x**300 mm** DUCK

Cod. 0450012.01 1.000×**500 mm** DUCK/BREEDER







6,100 kg Loading resistance:

Cod. 0450018

CHARACTERISTICS

Outside dimensions:


1.200×1.000 mm

Weight:

200 kg/m<sup>2</sup> Standard colour: yellow Shipping capacity: 660 pieces per 20' cnt 1.300 pieces per 40' cnt 1.500 pieces per 40' HC

Wood/metal support

### **ECONOMICAL SLAT**



INTERLOCKING








INTERLOCKING














### Cod. 0450002


### CHARACTERISTICS

Outside dimensions: 1.150x630 mm Weight: 3,500 kg Loading resistance: 200 kg/m<sup>2</sup> Standard colour: grey Shipping capacity: 2.700 pieces per 20' cnt 5.400 pieces per 40' cnt 6.200 pieces per 40' HC

Wood support



### **BROILER SLAT MALESYA**



CHARACTERISTICS Outside dimensions: 1.000x500 mm Weight: 1,900 kg Available colours: white Shipping capacity: 1.500 pieces per 20' cnt 3.000 pieces per 40' cnt 3.400 pieces per 40' HC

Cod. 0450021


Metal support

Made in Malesya

### INTERLOCKING









GIORDANO POULTRY PLAST S.p.A. reserves the right to modify product's features and data contained in this catalogue, and accepts no liability for errors and/or omissions in the published information.





MIX Paper from responsible sources FSC<sup>e</sup> C122025



Member of GIORDANO



GIORDANO S.p.A. Via Bernezzo, 47 12023 CARAGLIO Cuneo - Italy tel: +39 0171 61.97.15 email: info@poultryplast.com

